






65



















7


























12 mid
11 pm Sunday 18 July

9 pm

7 pm

5 pm

3 pm

1 pm

12 noon

11 am

9 am

7 am

5 am


3 am

1 am (Sunday)

12 mid

11 pm (Sat) 17 July

B1





(19 July)


Q. 11





























Month	July		Aug
Day	13	20	2
Time Local	1220	1300	1300
Air Temp. °C Honeywell	27.1	27.5	25.6
Water Temp. °C Honeywell	26.7	26.9	25.3
Water Temp. °C Honeywell	28.9	27.3	25.9
Water Temp. °C Honeywell	26.7	26.9	26.1
Conductivity Microbes Honeywell	17.7	19.6	20.5
Conductivity Microbes Surface	17.7	19.7	20.3
Water Temp. Bottle No.			
Dissolved O ₂ Honeywell	5.4	5.3	6.4
Dissolved O ₂ Winkler	5.8 5.6	6.3 6.4	6.4
Turbidity JCU Honeywell	16	19	16
Turbidity Nalge	—	—	—
Tide Honeywell	0	+1	+1.6
Tide Staff	0	+3	+3.5
Wind Vel. MPH Honeywell	ESE	N	4
Wind Vel. Air Speed Ind MPH	ESE	N	4
Wind Direc. Honeywell	0	7	60W
Wind Direc. Air Speed Ind	0	7	55W

Remarks

Readings + 1 mi. 25
27.1, 26.7,
28.9, 19.6,
17.7, 19.7,
20.5

27.1, 27.5,
26.7, 26.9,
28.9, 27.3,
26.7, 26.9,
20.5, 20.3,
5.4, 5.3, 6.4,
5.8, 5.6, 6.3, 6.4,
16, 19, 16,
—, —, —,
0, +1, +1.6,
0, +3, +3.5,
ESE, N, 4,
ESE, N, 4,
0, 7, 60W,
0, 7, 55W

27.1, 27.5,
26.7, 26.9,
28.9, 27.3,
26.7, 26.9,
20.5, 20.3,
5.4, 5.3, 6.4,
5.8, 5.6, 6.3, 6.4,
16, 19, 16,
—, —, —,
0, +1, +1.6,
0, +3, +3.5,
ESE, N, 4,
ESE, N, 4,
0, 7, 60W,
0, 7, 55W

Month	July		Aug
Day	13	20	2
Time Local	1220	1300	1300
Air Temp. °C Honeywell	27.1	27.5	25.6
Water Temp. °C Honeywell	26.7	26.9	25.3
Water Temp. °C Honeywell	28.9	27.3	25.9
Water Temp. °C Honeywell	26.7	26.9	26.1
Conductivity Microbes Honeywell	17.7	19.6	20.5
Conductivity Microbes Surface	17.7	19.7	20.3
Water Temp. Bottle No.			
Dissolved O ₂ Honeywell	5.4	5.3	6.4
Dissolved O ₂ Winkler	5.8 5.6	6.3 6.4	6.4
Turbidity JCU Honeywell	16	19	16
Turbidity Nalge	—	—	—
Tide Honeywell	0	+1	+1.6
Tide Staff	0	+3	+3.5
Wind Vel. MPH Honeywell	ESE	N	4
Wind Vel. Air Speed Ind MPH	ESE	N	4
Wind Direc. Honeywell	0	7	60W
Wind Direc. Air Speed Ind	0	7	55W

Remarks

Readings + ml 25
27.1, 26.7,
28.9, 26.7,
27.3, 25.9,
25.3, 17.7,
19.6, 20.5,
17.7, 19.7,
20.3, 5.4,
5.8, 5.6, 6.3,
6.4, 6.4, 16,
19, 16, 0,
+3, ESE, N, 4,
ESE, N, 4, 0, 7,
60W, 0, 7, 55W

27.1, 26.7, 28.9, 26.7, 27.3, 25.9, 25.3, 17.7, 19.6, 20.5, 17.7, 19.7, 20.3, 5.4, 5.8, 5.6, 6.3, 6.4, 6.4, 16, 19, 16, 0, +3, ESE, N, 4, ESE, N, 4, 0, 7, 60W, 0, 7, 55W

27.1, 26.7, 28.9, 26.7, 27.3, 25.9, 25.3, 17.7, 19.6, 20.5, 17.7, 19.7, 20.3, 5.4, 5.8, 5.6, 6.3, 6.4, 6.4, 16, 19, 16, 0, +3, ESE, N, 4, ESE, N, 4, 0, 7, 60W, 0, 7, 55W