



























































			1	0										
Month	June	-	1	14	, \$			July					-	
Day	22		13		27			1		·			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Time Local	1615		1400					1150					ators, and the sound part	L.
Surf Att Temp. C ^O Honeywell	26.1		えっし	227.6				26.5						
Surt Air Temp. Co	26.1		27.2	****				26.8					ingene officiale A	
Water Temp. C ^O Bot Honeywell	123.1		22,6	32.6			k	25%		1			Annang (Jerd)Telen	
Water Temp. C ^o	-		-				4	25.9		th			in the second	
Conductivity Micromhos Hongyyell	14.5		16.5		18.7		2	18.0		L m p				
Conductivity Micromhos Serfass	15.4		17		187		Come 2	18.0		ret			international states	
Water Samp. Bottle No.	1 N. 1	1					and a	2		t ×				
Dissolved O ₂ Honeyvell	7.5		7.8	-			eard	5.1	5.9	050	_			
Dissolved O ₂ Winkler	7.9		8.2 8.0				C T	6,05	6.2	5				
Turbidity JCU Honeywell	15		13				ell.		-				(Annaly Charles and Annaly Charles and Anna	
Turbidity Hellige	18						0			5				
Tide Honeywell	-14		+.5				Q	+0.6						
Tide Staff	3		+,4			1 .	w	+0.6	e.					
Wind Vel. MPH Honeywell	4		Н				Z	12						
Wind Vel. Air Speed Ind. MPH	4		4				2	12				1	agentitizations.	
Wind Direc. Honeywell	5W		SSE				to	SNNE						
Wind Direc. Air Speed Ind.	500		SEE					NNE						
								195			200			
	2.9	e			2			00'a	hun	2	+00			

Surt Air Temp. CO	26:1	27,2 27-2		26.8			
Water Temp. C ^O Bot Honeywell	123.1	22,6 22,6		258			
Water Temp. C ^o	-			0 25.9	Ta		Re
Conductivity Micromhos Honeyyell	14.5	16.5	18.7	18.0	L L		Renderschligte
Conductivity Micromhos Serfass	15.4	וי	187	9.8.0 100	Le J		ulgine (lijimp
Water Samp. Bottle No.				P	T		Merinda
Dissolved O ₂ Honeyvell	7.5	7.8		5.1 5.9			
Dissolved O ₂ Winkler	7.9	8.2 8.0		- 6,05 6,2 - 6,00 6,2			
Turbidity JCU Honeywell	15	13		e e l			
Turbidity Hellige	18			0	5		
Tide Honeywell	-of	+.5		Q+0.6	e/		
Tide Staff	3	t,4	1	+0.6			
Wind Vel. MPH Honeywell	4	4		312	-		
Wind Vel. Air Speed Ind. MPH	4	4		0 12		1	-
Wind Direc. Honeywell	SW	SSE		TOWNE			
Wind Direc. Air Speed Ind	SW	STE		NNE			
Remarks	27.7 27.9 27.5=27.9	5.8 - 7.8- 4.10 5.8 - 7.00 - 14 - 6.2	trud for low	724 - 21.0 - 6,05 27 - 20.8 - 6,00 0 0 celleovered with	27-21,6=6,2 27-21,5=6,2 27-31,5=6,2 Revet apar 100 +0,2		